
2014 TridentMD Dispensary Exit Door Pricing





Forced Entry Protection Up To 6 Locking Points, 5 Standard

- * Retrofit To Any Existing Door 2 Hour Installation Time
- * Automatic Self-locking Each Time The Door Closes
- Meets Fire Codes
 Single Motion Retracts All Bolts

Securitech's Trident[®] has been protecting America's Drug Stores and Retail Market for years with thousands installed across the country.

Model Information TEL-MD21

5 POINT SELF-LOCKING W/ BATTERY ALARM

Additional Models & Options Available As Needed.



Watch The Video At www.Securitech.com/TridentMD



Effective 9/10/14

	Model	Description							
1	Dispensary Exit Doors								
	TEL-MD21	5 Point Self relock, packed with battery alarm (Cylinder Included)							
	TEL-MD20	5 Point Self Relock, No Alarm							
	TEL-MD22	5 Point Self Relock packed with hardwire alarm (Cylinder Included).							
	TEL-MD20F	Self relock, FIRE RATED, Add Alarm As Needed							
ORTION	Keyed Exterior Trim Options								
		-KLT Add KLT suffix to above model to include trim at time of ordering (-LHR or -RHR)							
-V		-KDT Add KDT suffix to above model to include electric trim at time of ordering (-LHR or -RHR)							
	Additional Entry Options on Page 2								
2	DELAYED EGRESS SY	STEM							
	TEL-MD-DES	TridentMD Self-Locking + Delayed Egress System (Lock Included)							
	TEL-MD-DES-KLST (-h	TridentMD Self-Locking + Delayed Egress System (Lock Included)							
	(with keyed lever trim with delayed egress shunt switch							
	DELAYED EGRESS KIT								
	TEL-MD-DEK	Retrofit Elements For Existing Self Locking Trident Locks Only							
3	PAIR DOOR APPLICATION: KIT, ONE ACTIVE DOOR & ONE INACTIVE DOOR								
	TEL-MD-IAL	Inactive door package used with above single door locks. Includes door reinforcer/strike & 3-							
		point keyed lock for inactive door only. Not for use where both doors need to be active.							
		Includes removable-core rim cylinder for 3-point keyed lock.							
4	ALARM KITS (with secu	· · · · · · · · · · · · · · · · · · ·							
	TEL-MD-A10	Battery alarm kit for use with all Tridents							
	TEL-MD-A20	Hardwired alarm kit for use with all Tridents	<u> </u>						
	See Additional Signal ar	d Wiring Options on Page 3			- 1/ / 2				
					Ver. 1.3				
	Page 2: Outside Entry Options								
	Page 3: Additional Security & Other Options								

2014 TridentMD Pricing **OUTSIDE ENTRY OPTIONS** Model Description OUTSIDE ENTRY OPTIONS (can be added in field) Keyed lever trim for self-locking models, on individual trim plate, black finish TEL-MD-KLT Lever trim for TEL-200 series (order handed) TEL-MD-KDT Lever trim with key and DC release for TEL-200 (order handed) (Previously named TEL-KLT-TEL-MD-KRT Lever trim with key and DC release for TEL-200 (fail-safe) (order handed) Keyed lever trim for self-locking models, on LARGER anti-pry plate for exterior trim models, silver finish TEL-MD-KLT-AP Lever trim for TEL-MD Series (order handed) TEL-MD-KDT-AP Lever trim with key and DC release for TEL-MD Series (order handed) TEL-MD-KRT-AP Lever trim with key and DC release for TEL-MD (fail-safe) (order handed) Keyed lever trim for delayed egress models, on LARGER anti-pry plate for exterior trim models, silver finish TEL-MD-KLST Lever trim for TEL-DES series (order handed) TEL-MD-KDST Lever trim with key and DC release for TEL-DES (order handed) Cylinders for Trims or Alarms TEL-MD-MC1 Mortise cylinder standard keyway, no special keying TEL-MD-RC1 Removable core mortise cylinder change and operating keys TEL-MD-RC2 Removable core rim cylinder change and operating keys CYLINDER and CAM Information IAL: Removable Core rim cyl. provided with IAL lockset (contact factory for others) Alarms: Mortise cylinders (required with alarm - works with any cam); Order separately or by others Mortise cylinders (required with trim - cloverleaf cam recommended); Order separately or by others Custom functions and solutions available: Please contact the factory with requests Ver. 1.3

See Page 3 For Additional Security & Other Options

INTEGRATED KEY CONTROLLED TRIM AND FULL SIZE ANTI-PRY PLATE



Models Ending in "-AP" Important Cylinder & Cam Information: Mortise cylinder for alarms & keyed entry

options are not provided, unless ordered as a separate item.




TRIM CYLINDER & CAM INFO
Cloverleaf cam is recommended for one-hand operation on all outside entry options. Cylinders 1" or longer can be used. ALARM CYLINDER & CAM INFO: A10 & A20 alarms will work with all mortise cylinder lengths and cams

CYLINDER USAGE CHART Model Type (ALARMED MODELS Model Cam

TEL-*00 TEL-*10 None TEL-*10 Mortise Any TEL-*20 Mortise Any

KEYED ENTRY MODELS Mortise Cloverleaf

OTHER KITS AND FIELD INSTALLED OPTIONS						
Model	Description					
POPULAR FIELD INSTALLED OPT	ions					
TEL-MD-HSB1	Additional bolt for hinge side provides five point locking					
TEL-MD-HSB3	HSB mounted on an extender plate to bypass f/s cont. hinge					
TEL-MD-E12	Armored alarm cable extension for oversize doors					
TEL-MD-EK12	12" Upper extension for TEL-300 for over height doors					
Option for providing signal from local	k for use with alarm by others:					
TEL-MD-SSO	Alarm connector & armored cable for doors up to 36"					
TEL-MD-SS5	Alarm connector & armored cable for doors up to 48"					
TEL-MD-PSK	PS2 Power Supply & board to upgrade A10 to direct power					
TEL-MD-SS53	Alarm Connector & armored cable for doors up to 48" with J Box					
For double door applications where	inactive leaf lock provided by others					
TEL-MD-DDA	Inactive door strike/reinforcer kit (no locks)					
Additional Options						
TEL-MD-EP1	24" Extended paddle					
TEL-MD-EP3	18" Extended paddle					
TEL-MD-SSK1	Security screw set for alarm box with opening tool					
Special factory installed options whi	ch cannot be field applied					
(ADD To Model Number)-CT	Digital counter					
(ADD To Model Number)-CW	Lock prepped for concealed wire (8' lead)					
(ADD To Model Number)-RO	Remote alarm output on A10 or A20 (for secondary signal)					
(ADD To Model Number)-RS	Remote siren on A20 (for mounting away from door)					
TEL-MD-AM1	Integrated door monitor switch for battery alarm					
TEL-MD-AM2	Integrated door monitor switch for hardwire alarm					



	Model	Description		
1	Inventory Room Doors	48MD		
	48MD1	5 Point Locking w/Keyed Cylinder Inswing		
	48MD2	5 Point Locking w/Keyed Cylinder Outswing		
	48MD1A	5 Point Locking w/Keyed Cylinder Inswing with Alarm Output and Armored Cable		
	48MD2A	5 Point Locking w/Keyed Cylinder Outswing With Alarm Output and Armored Cable		

Pricing Notes: 10% Surcharge for orders rushed under 48 hours

15% Surcharge for orders rushed under 24 hours

Drop ship fee applies to large orders with multiple ship to addresses